Specification & Standard equipment

HEV Pro PHEV Pro PHEV Une Generation mm 4.703 Worth mm 1.730 Heigh mm 1.730 Worth mm 1.730 Worth State mm 1.730 Outard dearmore mm 1.730 Trial tank size 0.1 5.5 Explore Generation Control 5.5 String Explore Mm 2.8 ± 4.2 Explore mm 7.2 ± 4.2 Explore MM (PS) 1.00(77) Mix explore prover MM (PS) 1.00(77) Mix explore prover MM (PS) 2.40 (280) Transmission system	[CWM Llovel All New LlC			
Dimension Hengin mm 4,743 Water in 1886 Hengin 1896 Water in 1896 Hengin 1896			HEV/ Pro	GWM Haval All New H6	DHEV/ Ultra		
LengthmmWithmm	Dimension		HEV FIG	FHEVFIO	PHEVOIda		
windsmm1.066mm2.738Wheehavemm2.738Wheehavemm2.738Grave belows fort wheels & regressoremm170Grave belows fort wheels & regressoremm170Grave belows fort wheels & regressoremm170Grave belows fort wheels & regressore615556Grave belows fort wheels & regressore615556Grave belows fort wheels & regressore615556Grave belows fort wheels & regressore6152050Grave belows fort wheels & regressore78 x 84 g5050Grave belows fort wheels & regressore78 x 84 g5050Grave belows fort wheels & regressore78 x 84 g5050Max engine TorqueNm (PS) RPM120 (120) / 5.20 - 0.00EacherMax engine TorqueNm (PS) RPM200 (120) / 5.20 - 0.00EacherMax engine TorqueNm (PS) RPM230 (127)Z40 (126)Max engine TorqueNm (PS)179 (24)240 (128)240 (126)Max combined powerNM (PS)179 (24)240 (128)240 (126)Max combined powerNm (PS)179 (24)240 (128)240 (128)Max combined powerNm (PS)179 (2		mm		4,703			
Heightmm1.720Distance between forth wheels & rear wheelsmm170Grand deamancemm1631/1140Grand deamancemm170Wate task kizeLike a615555EngineImage and task kize18005555EngineImage and task kize180018001800Fighter Digate mediamm7.82 & §.9Image and task kize1800Fighter Digate mediamm7.82 & §.9Image and task kize1800Kine orgine proveKV (PS) RPM1010 (150, 560 - 6.00)Image and task kize1800Kine orgine proveNm (RPM220 / 1500 - 4.00)Image and task kizeImage and task kizeKine orgine proveNm (RPM230 / 1500 - 4.00)Image and task kizeImage and task kizeKine orgine proveNm (RPM300Image and task kizeImage and task kizeKine orgine proveKV (PS)187 KVM2240 (320)240 (320)Kine orgine proveNm530Image and task kizeImage and task kizeKine orgine proveImage and task kizeCCS Type 2 comboCCS Type 2 comboTypeImage and task kizeCCS Type 2 comboCCS Type 2 comboKine orgine proveImage and task kizeCCS Type 2 comboCCS Type 2 comboTypeImage and task kizeImage and task kizeCCS Type 2 comboKine orgine proveImage and task kizeImage and task kizeImage and task kizeType and task prove <td>-</td> <td></td> <td></td> <td></td> <td></td>	-						
Wineflassiamn2.738UGround detarancemn1701631/1400Ground detarancenm17055Data task kizeLalers615555Ground detaranceGround detaranceGround detarance5555TypeGround detaranceGround detarance5555Bare / Stokemm75 x 64 g							
Datambe televeen front wheels & rear wheels or mm integrate in the set of th							
Ground Laters 170 Engline 61 55 55 Engline 61 55 55 Engline 61 55 55 Engline 61 55 55 Brin Zingel Complexement 0 Gaussian Enter function 61 55 55 Brin Zingel Complexement 0 1499 1101(150) 1.5500 6.000 500							
Fact tarksize Liters 61 65 55 English Gardine Chierel (replecion) Gardine Chierel (replecion) Gardine Chierel (replecion) English Straket mm 75 x 84 9 Gardine Chierel (replecion) Gardine Chierel (replecion) Ber / Stroket mm 75 x 84 9 101(150) 5500 0 Max engine power MV (PS) PKPM 101(150) 5500 0 Gardine Chierel (replecion) Max engine power MV (PS) PKPM 130(177) Max engine power MM Max endine power MN 300 Gardina Power MM Max combines torque Nm 300 Gardina Power Gardina Power Max combines torque Nm 630 Lithiam for Bastlery Zafd (326) 240 (326) Zafd (326) Max combines torque Nm 630 CCS Type 2 combo							
English 4 Cylinder in line with turbo Type 4 Cylinder in line with turbo Gar J Stude mn 75 k 43 g Gar J Stude mn 75 k 43 g Gar J Stude mn 75 k 43 g Gar J Stude 1400 4400 Max engine Targue Nm/ RN 23017300 - 4.000 Electre Motor Permanent magnet synchronous motor Max engine Targue Nm/ RN 230(177) Max engine Targue Nm/ RN 3300 Combined torque Nm 3300 Combined torque Nm 520 Max combined torque Nm 520 Max combined torque Nm 520 Max combined torque Nm 520 Might Aldrage Statory Link Internet Ballery 22.54Wh Tarsension torque NM 167 KWh 27.54Wh Stator Type			61		55		
TypeImage: Image:		Entito	01				
injeston Tyope (add of the second of the se				4 Cylinder in line with turbo			
Bon / Stoke mn CF 5 44 9 . Engine Displacement 0 c 0 1499 Max engine power NW (PS) PAPM 110(150) / 5.500 - 6.000 Max engine forque NW (PS) MN RPM 220 / 1.500 - 4.000 Electric More forque NW (PS) 200 / 1.500 - 4.000 Permanent maget synchronous motor Max engine forque NW (PS) 300. Combined forque NW (PS) 192(127) Max enderic more forque NW (PS) 192(127) Max enderic more forque NW (PS) 179 (243) 240 (326) 240 (326) Max combined forque NW S30 Combined forque NW S30 Max combined forque NW S30 Max combined forque NW S30 Max combined forque NW S30 Max combined forque NW S30 Combined forque NW S30 Max combined NU S30 Max forque NW S30 M							
Engine Diplacement oc 1499 Max engine power kW (PS)/ RPM 110150) / 5.500 - 6.00 Max engine forque Nm/ RPM 230 / 1.500 - 4.000 Electric Motor Permanent magnet synchronous motor Max denictin motor power KW (PS) 130.177 / Max Max denictin motor power KW (PS) 30.177 / Max Max denictin motor power KW (PS) 130.177 / Max Max combined power Nm 30.177 / Max Max combined power Nm 530 Max combined power CCS Type 2 combo CCS Type 2 combo Transmission system - CCS Type 2 combo Transmission system - CCS Type 2 combo Transmission system - CCS Type 2 combo Ford - CCS Type 2 combo Steering wheel system - CCS Type 2 combo		mm		-			
Max engine power NW (PS) PRM 101(10) / 5.500 - 6.000 Nax engine Torque Nm (PPM 280 / 1.500 - 4.000 Eloctric Motor Permanent magnet synchronous motor Type Permanent magnet synchronous motor Max eductic motor power KW (PS) 130(177) Max eductic motor power Nm 300 Combined power Nm 300 Max combined power Nm 300 Max combined power Nm 300 Max combined power Nm 240 (22) 240 (22) Max combined power Nm 27.54WM 27.54WM Max combined power Nm 27.54WM 27.54WM Max combined power Nm 27.54WM 27.54WM Concord Type NM 1.67 KWM 27.54WM 27.54WM Concord Type NW 1.67 KWM 27.54WM 20.0 0 Transmission type DHT DMT DMT DMT DMT Power mode system							
Max angine Torque Nm (RPM 230 / 1.500 - 4.000 Electric Molor Type Permanent magnet synchronous motor Max electric motor orque Nm 300 Combined power KW (PS) 179 (243) 240 (328) 240 (326) Max combined power Nm 300 Combined power Nm 300 Combined power Nm 300 Combined power Nm 300 Electro droque Nm 300 Combined power Nm 530 Electric adjustable side mirror Wth turning lamp Auto on-off headlamp O Forle Name Note Note Note Note Note Note Note Not							
Election Moder Permanent magnet synchronous motor Type Permanent magnet synchronous motor Max electric motor power Nm							
TypePermanent magnet synchronous motorMax electric motor torqueKW (PS)KW (PS)300Combined power300Max combined power179 (243)Max combined power530Max combined power530Max combined power530Max combined power530High Voltage Battery530Type179 (243)Connector Type1.67 KWhConnector Type0Connector TypeCCS Type 2 comboConnector Type0Connector Type23555 R19Statter23555 R19Type size0Connector Type0Connector Type0Type size0<							
Max electric motor power kW (PS) 130(177) Max electric motor torque Nm 300 Combined power Nm 300 Max combined power KW (PS) 179 (243) 240 (326) 240 (326) Max combined forque Nm 530 300 300 Max combined forque Nm 530 240 (326) 250 (326) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 250 (36) 260 (36) 250 (36) 250 (Per	rmanent magnet synchronous m	otor		
Max electric motor torque Nm 300 Combined power KW (PS) 179 (243) 240 (326) 240 (326) Max combined power Nm 530 High Voltage Battery Type Lithium Ion Battery 530 Battery (2apacity) KW h 1.67 KW h 27.54 KW h 27.54 KW h Commetor Type - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission type - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission type DHT DV/VM MOde Power mode system - EV. EV Priority, HEV Power mode system - EV. EV Priority, HEV 4 Driving Modes : Normal/ Sport/ Eoc/ Snow O O O Stearing wheel system - EV. EV Priority, HEV EV Ever Stealing wheel system Electric stearing wheel system Stearing wheel system Electric stearing wheel system Electric stearing wheel system Stearing wheel system Electric stearing wheel system Stearing whee		kW (PS)					
Cembined powerKW (Ps)179 (243)240 (326)240 (326)Max combined forqueNm530With accombined forqueNm530TypeLithum fon BatteryTypeLithum fon BatteryTypeLithum fon BatteryTypeCCS Type 2 comboCCS Type 2 comboCCS Type 2 comboTransmission systomCCS Type 2 comboTransmission systomDHTTransmission systomDHTTransmission systomOPower mode systemEV. EV Priortly, HEVPower mode systemOStappasion SystomOFordMatch Link independentStappasion SystomMatch Link independentFordMatch Link independentStappasion SystomMatch Link independentFordMatch Link independentStarting wheel typeElectric steering wheel systemFordVentilated disc brakeTyre size225/55 R19Yre size235/55 R19Yre sizeAlloy Wheel 19"Alloy Wheel 19"Alloy Wheel 19"Yre sizeQVentilated disc brakeYre sizeStaft fing hom home systemQELTO Dayline running lightQLED Tally if sitpQLED Tally if sitpQLED Tally if sitpQKat disc brakeQStaft fin anternaQColored find with turning lampQElectric adjustable side mirror with turning lamp Link is fordable after lock the car <td></td> <td></td> <td></td> <td></td> <td></td>							
Max combined powerkW (PS)179 (243)240 (326)240 (326)Max combined forqueNn-530High Voltage Bettery-530TypeIKWh27.54kWh27.54kWhBattery CapacityKWh1.67 KWh27.54kWh27.54kWhConnector Type-CCS Type 2 comboCCS Type 2 comboConnector Type-CCS Type 2 comboCCS Type 2 comboTransmission system-CCS Type 2 comboCCS Type 2 comboTransmission System-EV.EV retry, HEV0OOOOStepension System0OOStepension System-EV.EV retry, HEV0Priver Mode System-EV.EV retry, HEVOStepension System-EV.EV retry, HEV-Stepension System-EV.EV retry, HEVOStepension System-EV.EV retry, HEV-Stepension System-EV							
Max combined torque Nm 530 100 May High Voltage Battery 530 Lithium Ion Battery Battery Capacity kWh 1.67 KWh 27.54kWh 27.54kWh Connector Type - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission systom - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission systom - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission systom - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission systom - EV CVPrintly, HEV O O O O Power mode system - EV, EV Printly, HEV O O O O O O O Stepsing wheel system Stepsing wheel system Electric steering wheel system Electric steering wheel system Stepsing wheel system Stepsing wheel system Stepsing wheel system Stepsing wheel system C Ymmissing system Stepsing wheel system Stepsing wheel system Stepsing wheel system <td></td> <td>kW (PS)</td> <td>179 (243)</td> <td>240 (326)</td> <td>240 (226)</td>		kW (PS)	179 (243)	240 (326)	240 (226)		
High Voltage BatteryLithium Ion BatteryTypeIIIII in Ion BatteryTypeIIIII in Ion BatteryBattery CapacityKWh1.67 KWh27.54 KWhConnector TypeCCS Type 2 comboCCS Type 2 comboTransmission systemICCS Type 2 comboTransmission typeDHTDHTPriving ModeDHTDHTPower mode system00OSuspension system0OOSuspension systemIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	-		110 (240)		240 (320)		
TypeLithum Ion BatteryBattery CapacityKWN1.67 KWN27.54KWh27.54KWhBattery CapacityCCS Type 2 comboCCS Type 2 comboCCS Type 2 comboTransmission type-CCS Type 2 comboCCS Type 2 comboTransmission type-DHTDHTDriving Mode-EV, EV Priority, HEVPower mode system-EV, EV Priority, HEVPower mode system-EV, EV Priority, HEVPower mode system-EV, EV Priority, HEVStagingenison system-EV, EV Priority, HEVFontMacPherson strut with Passive FRT StabilizerRearMulti-Link independentSteering wheel system-Multi-Link independentSteering wheel system-Ventilated disc brakeFrontVentilated disc brake-RearVentilated disc brake-Tyre size235/55 R19235/55 R19Steering wheel systemTyre sizeQQQTyre size235/55 R19235/55 R19Yhre size235/55 R19235/55 R19Yhre sizeQQQTyre sizeTyre sizeTyre sizeTyre sizeTyre sizeTyre sizeTyre sizeTyre sizeTyre sizeTyre size				000			
Battery Capacity kWh 1.67 kWh 27.54kWh 27.54kWh Connector Type - CCS Type 2 combo CCS Type 2 combo CCS Type 2 combo Transmission type DHT DHT CCS Type 2 combo C				Lithium Ion Battery			
Connector Type CCS Type 2 combo CCS Type 2 combo Transmission system DHT Transmission type DHT Driving Mode EV_EV Printy, HEV Power mode system O O 4 Driving Modes Normal/ Sport/ Eco' Snow O O Suspension system - EV, EV Printy, HEV Front MacPherson strut with Passive FRT Stabilizer Rear MateLink independent Steering wheel system Electric steering wheel system Front MateLink independent Steering wheel system Electric steering wheel system Front Disc brake Ventilated disc brake Tyre size 225/55 R19 235/55 R19 Yre repair kit O O O Tyre repair kit O O O Intelligent LED headiamp Auto on-off headiamp O O ELED Tayliting LED fog lamp Follow me home system O O LED Taillight strip O O O O Rear ED Fog lamp Electric adjustable side mirror with turning lamp Electric adjustable side mirror with turni		kWh	1 67 kWh	-	27 54kWh		
Transmission type DHT Transmission type DHT Driving Mode EV, EV Priority, HEV Power mode system 0 0 4 Driving Modes : Normal/ Sport/ Eco/ Snow 0 0 Stapension system 0 0 0 Stapension system MacPherson strut with Passive FRT Stabilizer - Rear MacPherson strut with Passive FRT Stabilizer - Steering wheel type Electric steering wheel system - Steering wheel type Electric steering wheel system - Brake system - Ventilated disc brake Front Ventilated disc brake - Front Noted Ventilated disc brake - Front Noted Ventilated disc brake - Fyre size 235/55 R19 235/55 R19 235/55 R19 Wheel size Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Tyre ripair kit O O O O Statior equipment - - - - Intelligent LED headlamp Auto on-off headlamp O O -			-				
DHTDHTDring ModePower mode system				CCC Type 2 combo	000 1990 2 001150		
Driving Mode EV FUND EV EV Power mode system 0				DHT			
Power mode system - EV, EV Priority, HEV 4 Driving Modes : Normal/ Sport/ Eco/ Snow O O O Stapension system O O O Stapension system MacPherson strut with Passive FRT Subjizz FRT Rear MacPherson strut with Passive FRT Subjizz Term Steering wheel system Electric steering wheel system Front Steering wheel type Electric steering wheel system Front Front Electric steering wheel system Front Front Disc brake Ventilated disc brake Front Disc brake Ventilated disc brake Tyre size 25/55 R19 235/55 R19 235/55 R19 Yre rear kit O O O Tyre size Allo or-off headiamp Alloy Wheel 19" Alloy Wheel 19" Yre rear kit O O O Eterior squippent O O O Intelligent LED headiamp Auto or-off headiamp O O Eter Cap Lig Deg lamp O O O LED Dayline running light O O O LED Taillight strip O O O Rear LED Fog lamp Electric adjustable side mirror with turning lamp with aut				5			
4 Driving Modes : Normal/ Sport/ Eco/ Snow O O O Stagension system MacPherson strut with Passive FRT Stabilizer Rear Multi-Link independent Steering wheel type Electric steering wheel system Steering wheel type Electric steering wheel system Front Ventilated disc brake Brake system Disc brake Ventilated disc brake Ventilated disc brake Front Ventilated disc brake Front Disc brake Ventilated disc brake Tyre and wheel 25/55 R19 235/55 R19 235/55 R19 Yre repair kit O O O O Tyre repair kit O O O O Intelligent LED headlamp Auto on-off headlamp O O O Intelligent strip O O O O O LED Daytime running light O O O C C Let Daytime running light side mirror with turnning lamp Electric adjustable side mirror with turnning lamp with auto foldable after lock the car Auto			EV EV Priority HEV		iority. HEV		
Suspension systemFrontMacPherson strut with Passive FRT StabilizerRearMult-Link IndependentSteering wheel systemMult-Link IndependentSteering wheel systemElectric steering wheel systemBrake systemVentilated disc brakeFrontDisc brakeVentilated disc brakeVentilated disc brakeRearDisc brakeTyre size225/55 R19235/55 R19235/55 R19Yore repair kitOOOVentilated Isor PassionAlloy Wheel 19"Tyre repair kit0Verting equipmentIntelligent LED headlampAuto on-off headlampFollow me home systemOElectric adjustable side mirror with turning lampAuto high - low beamLED Daylime running lightOLED Taillight stripORear LED Fog lampElectric adjustable side mirror with turning lamp with aut-totable after lock the carAuto sensing wiperOElectric adjustable side mirror with turning lampOKart fin antennaORoof railORoof railO			0		-		
Front MacPherson strut with Passive FRT Stabilizer Rear Wulti-Link independent Steering wheel system Front Ventilated disc brake Rear Ventilated disc brake Tyre size Disc brake Ventilated disc brake Tyre size Ventilated disc brake Tyre size Ventilated disc brake Tyre size Ventilated disc brake Steeror equipment Steeror equipment O O Steeror equipment O O O O LED Dayline running light O O LED Tailing's trip O O Co			Ũ	, i i i i i i i i i i i i i i i i i i i	Ũ		
Intervention and matrix assive TRT's databate Intervention and matrix assive TRT's databate Steering wheel system Steering wheel system Electric steering wheel system Brake system Front Ventilated disc brake Rear Ventilated disc brake Form Ventilated disc brake Rear Ventilated disc brake Tyre size Ventilated disc brake Tyre size Ventilated disc brake Tyre size S25/55 R19 235/55 R19 Yend wheel S25/55 R19 235/55 R19 Yend wheel S25/55 R19 235/55 R19 Yend wheel S25/55 R19 235/55 R19 235/55 R19 Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Auto on-off headiamp O O Colspan="2" O <th <="" colspan="2" td=""><td></td><td></td><td colspan="3"></td></th>	<td></td> <td></td> <td colspan="3"></td>						
Matric Mit Rependent is Matric Mit Rependent is Steering wheel system Electric steering wheel system Front Ventilated disc brake Front Ventilated disc brake Rear Ventilated disc brake Tyre size Ventilated disc brake Ventilated disc brake <th colspa<="" td=""><td></td><td></td><td colspan="3"></td></th>	<td></td> <td></td> <td colspan="3"></td>						
Idea Telectric stering wheel system Brake system Front Ventilated disc brake Rear Ventilated disc brake Tyre size Ventilated disc brake Tyre size Ventilated disc brake Tyre size 235/55 R19 235/55 R19 235/55 R19 Yer epair kit O O Yer epair kit O Yer epair kit O Yer epair kit Yer epair kit Yer epair kit Yer epair kit			iviuiti-Link independent				
Prior Ventilated disc brake Front Ventilated disc brake Front Ventilated disc brake Rear Disc brake Ventilated disc brake Tyre and wheel Tyre and wheel Tyre size 225/55 R19 235/55 R19 235/55 R19 Tyre repair kit O O Extern requipment Intelligent LED headlamp O Auto on-off headlamp O LED Daytime running light O O Colspan="2" IElectric adjustable side mirror with turning lamp Colspan="2" O <th <<="" colspan="2" td=""><td></td><td></td><td colspan="3">Flectric steering wheel system</td></th>	<td></td> <td></td> <td colspan="3">Flectric steering wheel system</td>				Flectric steering wheel system		
Front Ventilated disc brake Rear Disc brake Ventilated disc brake Tyre and wheel Disc brake Ventilated disc brake Tyre and wheel 225/55 R19 235/55 R19 235/55 R19 Yne repair kit Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Tyre repair kit 0 0 0 Exterior equipment 0 0 0 Exterior equipment Follow me home system 0 0 Follow me home system 0 0 0 LED Daytime running light Auto high - low beam 0 0 LED Daytime running light 0 0 0 LED Taytime running light 0 0 0 LED fog lamp Electric adjustable side mirror with turning lamp with autor foldable after lock the car 0 Rear LED Fog lamp Electric adjustable side mirror with turning lamp with autor foldable after lock the car 0 Auto sensig wiper 0 0 0 Electric adjustable side mirror with turning lamp with autor foldable after lock the car 0 Shark fin antenna 0 0							
Rear Disc brake Ventilated disc brake Tyre size 225/55 R19 235/55 R19 235/55 R19 Wheel size 225/55 R19 235/55 R19 235/55 R19 Wheel size Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Tyre repair kit O O O Exterior equipment Follow me home system O O Intelligent LED headlamp Auto on-off headlamp O O Auto high - low beam O O O LED Daytime running light Q O O LED Tayling running light O O O LED Tayling running light O O O LED Tayling trip O O O Rear LED Fog lamp O O O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turnning lamp with auto Foldable after lock the car Auto sensing wiper O O O Electric adjustable side mirror with turnning lamp O O Shark fin antenna O O O		_		Ventilated disc brake			
Tyre and wheel 225/55 R19 235/55 R19 235/55 R19 Tyre size 225/55 R19 235/55 R19 235/55 R19 Wheel size Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Tyre repair kit O O O Exterior equipment O O O Exterior equipment Follow me home system O O Intelligent LED headlamp Auto on-off headlamp O O Kato in home system O O O LED Daytime running light Auto high - low beam O O LED Taillight strip O O O O Rear LED Fog lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car O Auto sensing wiper O O O O Electric panoramic sunroof O O O O Shark fin antenna O O O O Roof rail O O O O O							
Tyre size225/55 R19235/55 R19235/55 R19Wheel sizeAlloy Wheel 19"Alloy Wheel 19"Alloy Wheel 19"Tyre repair kit000Exterior equipmentIntelligent LED headlampAuto on-off headlamp0Follow me home system000Auto high - low beam000LED Daytime running light000LED Taillight strip000Rear LED Fog lamp000Electric adjustable side mirror with turning lampElectric adjustable side mirror with turning lampElectric adjustable side mirror with turning lampAuto sensing wiper000Shark fin antenna000Roof rail000	Rear		Disc brake	Ventilated	disc brake		
Tyre size225/55 R19235/55 R19235/55 R19Wheel sizeAlloy Wheel 19"Alloy Wheel 19"Alloy Wheel 19"Tyre repair kit000Exterior equipmentIntelligent LED headlampAuto on-off headlamp0Follow me home system000Auto high - low beam000LED Daytime running light000LED Taillight strip000Rear LED Fog lamp000Electric adjustable side mirror with turning lampElectric adjustable side mirror with turning lampElectric adjustable side mirror with turning lampAuto sensing wiper000Shark fin antenna000Roof rail000	Tyre and wheel						
Wheel size Alloy Wheel 19" Alloy Wheel 19" Alloy Wheel 19" Tyre repair kit O O O Exterior equipment O O O Intelligent LED headlamp Auto on-off headlamp O O O Follow me home system O O O O LED headlamp Auto high - low beam O O O LED Daytime running light O O O O LED Taillight strip O O O O Rear LED Fog lamp O Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O <			225/55 R19	235/55 R19	235/55 R19		
Tyre repair kit O O O Exterior equipment Intelligent LED headlamp O O Intelligent LED headlamp Auto on-off headlamp O O Follow me home system O O O Auto high - low beam O O O LED Daytime running light O O O LED Taillight strip O O O Rear LED Fog lamp O O O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O O Electric panoramic sunroof O O Shark fin antenna O O Roof rail O O							
Exterior equipment O Intelligent LED headlamp O Follow me home system O Auto high - low beam O LED Daytime running light O LED Taillight strip O Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O							
Intelligent LED headlamp Outo on-off headlamp Outo on-off headlamp Follow me home system O Auto high - low beam O LED Daytime running light O LED Taillight strip O Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto todable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O	Exterior equipment			·	,		
Follow me home system O Auto high - low beam O LED Daytime running light O LED Taillight strip O Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O	Intelligent LED headlamp	Auto on-off headlamp		0			
Auto high - low beam O LED Daytime running light O LED Taillight strip O Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O			0				
LED Daytime running light O LED Taillight strip O Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O		-					
LED Taillight strip O Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O	LED Daytime running light						
Rear LED Fog lamp O Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O	LED Taillight strip		0				
Electric adjustable side mirror with turnning lamp Electric adjustable side mirror with turning lamp with auto foldable after lock the car Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O			0				
Auto sensing wiper O Electric panoramic sunroof O Shark fin antenna O Roof rail O			Electric adjustable side m	Electric adjustable side mirror with turning lamp with auto foldable after lock the car			
Electric panoramic sunroof O Shark fin antenna O Roof rail O	Auto sensing wiper						
Shark fin antenna O Roof rail O	Electric panoramic sunroof			_	0		
Roof rail O				0	1		
	Electric tail gate		(0	With Hand free		

Specification & Standard equipment

			GWM Haval All New H6		
	-	HEV Pro	PHEV Pro	PHEV Ultra	
Interior equipment					
Interior color			All Black		
Ambient Light			0		
Head up display			-	0	
Auto dimming rear mirror			-	0	
			0	0	
Electronic Parking Brake (EPB) with Automatic Vehicle			0		
Electronic Shifter			0		
Smart key & Push start					
Leather Multi-function steering wheel		0			
Double deck center console with armrest & cup holder		0			
Seat Material			Synthetic leather		
Front seat	Electric driver seat with adjustable 6 ways & lumbar support		0		
	Electric passenger seat with adjustable 4 ways		0	With VIP Passenger Seat Switch	
	Cushion ventilation system		0		
Rear seat	Foldable seat 60:40		0		
	Center Head restraint		0		
	Center armrest with cup	0			
	holder				
USB port for front & rear passenger (2A 1C port for front, 1A 1C port for rear)			5		
USB port for driving recorder			1		
Convenient					
Multi information display		10.25"			
Wireless charger (50W)			0		
Auto door lock when reach the speed		0			
Navigation		0			
Wi-Fi connection		0			
Auto Air Condition (Independent LH & RH) with CN95 filter		0			
Rear Air Ventilation Grille		0			
Voice Command		0			
Intelligent application					
Monitoring via application					
Passenger doors and tailgate status			0		
All window status		0			
Fuel level status		0			
Battery level status		0		0	
Battery charging status		- 0		0	
Total mileage status		0			
Tire pressure and temperature status			0		
Panoramic sunroof status			-	0	
Air-conditioning status			0	-	
Seat ventilation status		0			
Vehicle location status		0			
E fence		0			
Call center		0			
Emergency call		0			
Anti-theft security warning			0		
Controlling via application			-		
Remote control engine pre-start			0		
Charging management		-		0	
	Remote car lock		0	-	
Close All Windows			0		
Close Panoramic Sunroof			-	0	
Open and close tailgate			0		
Turn on/off driver and passenger seat ventilation		0			
Turn on/off Air condition		0			
Turn on/off air filter system control		0			
			0		
Find Car (Horn and flashing light)			0		

Specification & Standard equipment

	GWM Haval All New H6		
	HEV Pro PHEV Pro		PHEV Ultra
Entertainment			
Touch screen display audio		14.6"	
Speed volume sensing		0	
8 Speakers	()	With 1 subwoofer
Bluetooth & MP3		0	I.
Safety system and Intelligent technology			
3 types of Integration Intelligent Parking (IIP)			0
Adaptive Cruise Control with intelligent cornering (Intelligent ACC)		0	
Traffic Jam Assist (TJA)		0	
Front and Rear sensors	Rear 4	spots	Front 6 spots / Rear 6 spots
360 ° Surrounding camera		0	
Front/ Side/ Curtain airbags	0		
Electronic Stability Program (ESP)	0		
Traction Control System (TCS)	0		
Anti-Rollover System (ARS)	0		
Hill Start Assist/ Hill Descent Control (HSA / HDC)	0		
Brake Override System (BOS)	0		
Tire Pressure Monitoring System (TPMS)	0		
Auto Emergency Braking + Intersection (AEBI)	0		
Emergency Signal System (ESS)	0		
Brake Assist System (BA) + Anti-lock Brake System (ABS) + Electronic Brake Force Distribution (EBD)	0		
Traffic sign recognition	0		
Front Collision Warning (FCW)	0		
Maneuver emergency braking (MEB)	O (Rear Emergency Braking)		O (Rear+Front Emergency Braking)
Wisdom Dodge System (WDS)	0		
Emergency Lane Keeping (ELK)	-		0
Lane Departure Warning (LDW)	0		L
Lane Keeping Assist (LKA)	0		
Lane Center Keeping (LCK)		0	
Lane Change Assistant (LCA)	-		0
Blind Spot Detection (BSD)	-		0
Auto Reversing Assistance (ARA)	-		0
Rear Collision Warning (RCW)	-		0
Rear Cross Traffic Alert (RCTA)	-		0
Rear Cross Traffic Braking (RCTB)	-		0
Door Open Warning (DOW)	-		0
Second Collison Mitigation (SCM)	0		
Fatigue driving warning	0		
Over setting speed limit alarm	0		
Child seat anchor ISOFIX type	0		

The company may change some details of information, specifications and grades at any time with prior notice. Image, data and equipment appearing in this documents may be differents from an actual car. Please check the details and equipment components from our contact center. For safety and efficiency, please study from owner manual before use. Deviations from the colors and shapes shown in the illustrations may occur. The company is not responsible for any printing error. Support E20